

Revision date: 06-04-2014

SAFETY DATA SHEET

1. Identification

Product identifier: NITRIC ACID

Other means of identification

Synonyms: Aqua Fortis, Azotic Acid

Product No.: 9604, V471, V231, V230, V077, 6623, 2712, 2707, 2706, 2704, H988, 5876, 5856, 5801, 5796, 1409, 9761, 9670, 9618, 9617, 9616, 9615, 9612, 9607, 9606, 9601, 9598, 9597, 5371, 20758, 20754, 20752,

20750

Recommended use and restriction on use

Recommended use: Not available. Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Address:

Company Name:

Avantor Performance Materials, Inc. 3477 Corporate Parkway, Suite 200

Center Valley, PA 18034

Telephone:

Customer Service: 855-282-6867

Fax:

Contact Person: e-mail:

Environmental Health & Safety info@avantormaterials.com

Emergency telephone number: 24 Hour Emergency: 908-859-2151

Chemtrec: 800-424-9300

2. Hazard(s) identification

Hazard classification

Physical hazards

Oxidizing liquids Category 3
Corrosive to metals Category 1

Health hazards

Skin corrosion/irritation Category 1A

Unknown toxicity

Acute toxicity, oral 65 %
Acute toxicity, dermal 65 %
Acute toxicity, inhalation, vapor 100 %
Acute toxicity, inhalation, dust or mist 100 %

Unknown toxicity

Acute hazards to the aquatic 65 %

environment

Chronic hazards to the aquatic 65 %

environment

Label elements

Hazard symbol:



Revision date: 06-04-2014



Signal word:

Danger

Hazard statement:

May intensify fire; oxidizer. May be corrosive to metals.

Causes severe skin burns and eye damage.

Precautionary statement

Prevention:

Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Keep only in original container. Keep away from heat. Keep/Store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles. Use only outdoors or in a well-ventilated area.

Response:

In case of fire: Use water spray, foam, dry powder or carbon dioxide for extinction. Immediately call a POISON CENTER/doctor. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Absorb spillage to prevent material damage.

Storage:

Store locked up. Store in corrosive resistant container with a resistant inner liner. Store in a well-ventilated place. Keep container tightly closed.

Disposal:

Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

None.

3. Composition/information on ingredients

Mixtures

Chemical identity	Common name and synonyms	CAS number	Content in percent (%)*
NITRIC ACID		7697-37-2	65 - 70%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information:

Get medical advice/attention if you feel unwell. Show this safety data sheet

to the doctor in attendance.

Ingestion:

Call a physician or poison control center immediately. Do NOT induce vomiting, if vomiting occurs, keep head low so that stomach content doesn't

get into the lungs.



Revision date: 06-04-2014

Inhalation: Move to fresh air. Call a physician or poison control center immediately. If

breathing stops, provide artificial respiration. If breathing is difficult, give

oxygen.

Skin contact: Immediately flush with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse.

Destroy or thoroughly clean contaminated shoes.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Call a physician or poison control center

immediately. In case of irritation from airborne exposure, move to fresh air.

Get medical attention immediately.

Most important symptoms/effects, acute and delayed

Symptoms: Corrosive to skin and eyes. Causes digestive tract burns. Spray mists may

cause respiratory tract irritation.

Indication of immediate medical attention and special treatment needed

Treatment: Treat symptomatically. Symptoms may be delayed.

5. Fire-fighting measures

General fire hazards: Strong oxidizer - contact with other material may cause fire.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Water spray, fog, CO2, dry chemical, or regular foam.

Unsuitable extinguishing

media:

None known.

Specific hazards arising from

the chemical:

Oxidizing Contact with combustible material may cause fire. Fire may

produce irritating, corrosive and/or toxic gases.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool. Cool containers exposed to

flames with water until well after the fire is out.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Self-contained breathing apparatus and full

protective clothing must be worn in case of fire.

Accidental release measures

Personal precautions, protective equipment and emergency procedures: Keep unauthorized personnel away. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Use personal protective equipment. See Section 8 of the MSDS for Personal Protective Equipment. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.



Revision date: 06-04-2014

Methods and material for containment and cleaning

up:

Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if possible without any risk. Do not absorb in sawdust or other combustible materials. Absorb spill with vermiculite or other inert material. Collect in a non-combustible container for prompt disposal. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.

Notification Procedures:

Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Inform authorities if large amounts are involved.

Environmental precautions:

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling:

Keep away from combustible material. Do not get in eyes, on skin, on clothing. Wash hands thoroughly after handling. Do not eat, drink or smoke when using the product. Do not taste or swallow. Never add water to acid! Never pour water into acid/base. Dilute by slowly pouring the product into water while stirring.

Conditions for safe storage, including any incompatibilities: Do not store in metal containers. Store away from heat and light. Keep away from combustible material. Keep containers closed when not in use. Store in a cool, dry place. Keep container in a well-ventilated place.

8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Chemical identity	hemical identity Type Exposure Limit values		values	Source	
NITRIC ACID	TWA	2 ppm		US. ACGIH Threshold Limit Values (2011)	
	STEL	4 ppm		US. ACGIH Threshold Limit Values (2011)	
	STEL	4 ppm	10 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)	
	REL	2 ppm	5 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)	
··· -	PEL	2 ppm	5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)	
	TWA	2 ppm	5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)	
	STEL	4 ppm	10 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)	

Appropriate engineering controls

No data available.

Individual protection measures, such as personal protective equipment

General information: Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the

immediate work area.

Eyelface protection: Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection: Chemical resistant gloves



Revision date: 06-04-2014

Other:

Wear suitable protective clothing.

Respiratory protection:

In case of inadequate ventilation use suitable respirator. Chemical

respirator with acid gas cartridge.

Hygiene measures:

Provide eyewash station and safety shower. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance

Physical state: Liquid Form: Liquid

Color: Colorless to slightly yellow

Odor: Pungent

Odor threshold: No data available.

pH: 1 (0.1 molar aqueous solution)

Melting point/freezing point: -42 °C Initial boiling point and boiling range: 122 °C

Flash Point: Not applicable
Evaporation rate: No data available.
Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

Explosive limit - lower (%):

No data available.

No data available.

No data available.

Vapor pressure:6.4 kPaVapor density:2.5

Relative density: 1.41 (20 °C)

Solubility(ies)

Solubility in water: Soluble

Solubility (other):

Partition coefficient (n-octanol/water):

Auto-ignition temperature:

Decomposition temperature:

Viscosity:

No data available.

No data available.

No data available.

10. Stability and reactivity

Reactivity: Reacts violently with strong alkaline substances.

Chemical stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

Hazardous polymerization does not occur. Decomposes on heating.

Conditions to avoid: Reacts violently with strong alkaline substances. Avoid contact with strong

reducing agents. Excessive heat. Contact with incompatible materials.

Incompatible materials: Alcohols. Reducing agents. Metals. Alkalies.

Hazardous decomposition

products:

Nitrogen Oxides By heating and fire, corrosive vapors/gases may be

formed.



Revision date: 06-04-2014

11. Toxicological information

Information on likely routes of exposure

Ingestion:

May cause burns of the gastrointestinal tract if swallowed.

Inhalation:

May cause damage to mucous membranes in nose, throat, lungs and

bronchial system.

Skin contact:

Causes severe skin burns.

Eye contact:

Causes serious eye damage.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product:

No data available.

Dermal

Product:

No data available.

Inhalation

Product:

No data available.

Specified substance(s):

NITRIC ACID

LC 50 (Rat, 4 h): 65 mg/l

Repeated dose toxicity

Product:

No data available.

Skin corrosion/irritation

Product:

Causes severe skin burns.

Serious eye damage/eye irritation

Product:

Causes serious eye damage.

Respiratory or skin sensitization

Product:

Not a skin nor a respiratory sensitizer.

Carcinogenicity

Product:

This substance has no evidence of carcinogenic properties.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050);

No carcinogenic components identified



Revision date: 06-04-2014

Germ cell mutagenicity

In vitro

Product: No mutagenic components identified

In vivo

Product: No mutagenic components identified

Reproductive toxicity

Product: No components toxic to reproduction

Specific target organ toxicity - single exposure Product: None known.

Specific target organ toxicity - repeated exposure

Product: None known.

Aspiration hazard

Product: Not classified

Other effects: None known.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

NITRIC ACID LC 50 (Fish, 48 h): 100 - 330 mg/l Mortality

Aquatic invertebrates

Product: No data available.

Specified substance(s):

NITRIC ACID LC 50 (Cockle (Cerastoderma edule), 48 h): 330 - 1,000 mg/l Mortality

LC 50 (Green or European shore crab (Carcinus maenas), 48 h): 180 mg/l

Mortality

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and degradability

Biodegradation

Product: Expected to be readily biodegradable.

BOD/COD ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration factor (BCF)

Product: No data available on bioaccumulation.



Revision date: 06-04-2014

Partition coefficient n-octanol / water (log Kow)

Product:

No data available.

Mobility in soil:

The product is water soluble and may spread in water systems.

Other adverse effects:

The product may affect the acidity (pH-factor) in water with risk of harmful

effects to aquatic organisms.

13. Disposal considerations

Disposal instructions:

Discharge, treatment, or disposal may be subject to national, state, or local

laws.

Contaminated packaging:

Since emptied containers retain product residue, follow label warnings even

after container is emptied.

14. Transport information

DOT

UN number:

UN 2031

UN proper shipping name:

Nitric acid

Transport hazard class(es)

Class(es):

8, 5.1

Label(s): Packing group: 8, 5.1

Marine Pollutant:

II No

IMDG

UN number:

UN 2031

UN proper shipping name:

NITRIC ACID

Transport hazard class(es)

8, 5.1

Class(es): Label(s):

8, 5.1

EmS No.:

F-A, S-Q

Packing group:

||

Marine Pollutant:

No.

IATA

UN number:

UN 2031

Proper Shipping Name:

Nitric acid

Transport hazard class(es):

8, 5.1

Class(es):

8, 5.1

Label(s):

., -

Marine Pollutant: Packing group: No II

15. Regulatory information

US federal regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

NITRIC ACID

Reportable quantity: 1000 lbs.



Version: 2.0 Revision date: 06-04-2014

Superfund amendments and reauthorization act of 1986 (SARA)

Hazard categories						
X Acute (Immediate) X Chro	onic (Delayed) X	Fire Reactive F	Pressure Generating			
SARA 302 Extremely hazard Chemical identity	ous substance RQ	Threshold Planning (Quantity			
NITRIC ACID	1000 lbs					
NITRIC ACID	1000 103.	. 1000 103	•			
SARA 304 Emergency release notification						
Chemical identity	RQ					
NITRIC ACID	1000 lbs.					
74774074040	111110,1010					
SARA 311/312 Hazardous ch	iemical					
Chemical identity	Threshold Plannin	g Quantity				
NITRIC ACID		500lbs				
SARA 313 (TRI reporting)						
	Reporting	Reporting threshold for	ľ			
	threshold for	manufacturing and				
Chemical identity	other users	processing				
NITRIC ACID	10000 lbs	25000 lbs.				
Clean Water Act Section 311 Ha						
NITRIC ACID	Reportable quantity	: 1000 lbs.				
Clean Air Act (CAA) Section 112 NITRIC ACID	(r) Accidental Relea Threshold quantity:	ase Prevention (40 CFR 15000 lbs	68.130):			
US state regulations						
US. California Proposition 6 No ingredient regulate		esent.				
US. New Jersey Worker and NITRIC ACID	Community Right-	to-Know Act				
US. Massachusetts RTK - Su NITRIC ACID	ibstance List Listed					
US. Pennsylvania RTK - Haz NiTRIC ACID	ardous Substances Listed	•				

US. Rhode Island RTK NITRIC ACID

Listed



Revision date: 06-04-2014

Inventory Status:

Australia AICS:

Canada DSL Inventory List: EINECS, ELINCS or NLP:

Japan (ENCS) List:

China Inv. Existing Chemical Substances: Korea Existing Chemicals Inv. (KECI):

Canada NDSL Inventory: Philippines PICCS: US TSCA Inventory:

New Zealand Inventory of Chemicals:

Japan ISHL Listing:

Japan Pharmacopoeia Listing:

On or in compliance with the inventory Not in compliance with the inventory. On or in compliance with the inventory Not in compliance with the inventory. On or in compliance with the inventory On or in compliance with the inventory On or in compliance with the inventory Not in compliance with the inventory. Not in compliance with the inventory.

16.Other information, including date of preparation or last revision

NFPA Hazard ID



Flammability
Health
Reactivity
Special hazard.

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe OXY: Oxidizer

Issue date:

06-04-2014

Revision date:

No data available.

Version #:

2.0

Further information:

No data available.



Revision date: 06-04-2014

Disclaimer:

THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED HEREIN IS PROVIDED "AS IS," AND AVANTOR PERFORMANCE MATERIALS MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING WITHOUT LIMITATION, WARRANTIES OF ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT. AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN DETERMINING THE APPROPRIATENESS OF SUCH ISSUES. ACCORDINGLY, AVANTOR PERFORMANCE MATERIALS ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. AVANTOR PERFORMANCE MATERIALS REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR EMPLOYEES.